International Journal of Emerging Trends in Computer Science and Information Technology
ISSN: 3050-9246 | https://doi.org/10.63282/3050-9246.IJETCSIT-V7I1P154
Eureka Vision Publication | Volume 7, Issue 1, 383-390 2026

Original Article

Deep Learning Frameworks for Financial Time-Series Forecasting and Investment Risk Assessment

Aritra Pal
VP, First Citizens Bank, United States.

Received On: 19/12/2025 ***Revised On: 18/01/2026*** ***Accepted On: 26/01/2026*** ***Published On: 31/01/2026***

Abstract - Financial time-series forecasting is a vital approach to the planning of investments, optimization of a portfolio, market analysis and financial risk management. Non-linear behavior of financial markets, fluctuating volatility, market uncertainty and complex temporal influences, however, restrict the usefulness of the traditional methods of statistical forecasting. This research article introduces a deep learning model of time-series financial forecasting and risk analysis of investments through the combination of Long Short-Term Memory (LSTM) networks, Gated Recurrent Units (GRUs), and Convolutional Neural Networks (CNNs). The framework works out through historical stock prices, trading volumes, technical indicators and the measures of market volatility to determine temporal patterns and future price movements. Moreover, the mechanisms of risk assessment include volatility estimation, maximum drawdown and Value at risk (VaR) to assess possible losses in the investments in different market circumstances. To compare the forecasting accuracy, model generalization, computational efficiency and risk estimation potentials across various deep learning architectures, a comparative analytical approach is suggested. The framework also facilitates the adaptive portfolio decisions because it is based on the integration of predictive outputs with risk-sensitive investment decisions. The mechanisms of explainability can further illuminate important market indicators and model forecasts and enhance transparency in financial decisions. The offered strategy is a unifying base of the smart financial prediction and risk-sensitive investment management that assists investors and financial analysts in making smart choices in the shifting and unpredictable market conditions.

Keywords - Deep Learning, Financial Time-Series Forecasting, LSTM, GRU, Investment Risk Assessment, Value at Risk, Portfolio Optimization.

1. Introduction

Financial time-series forecasting is now a significant research topic due to its uses in the investment planning process, investment portfolio management, financial markets trends analysis and financial risk analysis. The price of stocks, their volumes, and market indexes are characterized by intricate temporal interdependence, non-linear conditions, and fluctuations due to economic circumstances, investor mood and activity, performance of companies and foreign events. Proper predictions of the variables can help investors and other financial institutions to make decisions and determine the possible market potential and exposure to capital losses. Nevertheless, the dynamic and unpredictable character of financial markets makes forecasting a tricky affair, especially when historical trends are modified much in reaction to the sudden and unexpected changes in the market. As a result, sophisticated methods of computation that can learn complicated patterns using historical observations have drawn the attention of numerous studies.

Conventional statistical methods (autoregressive models and other time-series based prediction methods) offer standardized methods of finding temporal relationships of financial information. However, they might not be effective in portraying nonlinear dependence, as well as intricate interactions, in changing market conditions. Deep learning has become a viable alternative due to the fact that neural networks are capable of learning hierarchical representations as well as temporal patterns of voluminous sequences of data. Regarding this, Sezer et al. [1] conducted a systematic review of the use of deep learning in financial time-series prediction, looking at the advances in the field over the years 2005-2019. Their review has formed a significant basis to comprehend the development of the deep learning methods of predicting finances and provided emphasis on the increased applicability of data-driven financial market analysis methods. This kind of development encourages further research in architectures with a temporal dependency, non-linear price dynamics, and various types of financial inputs.

In recent years, the number of models that can be used in financial forecasting has grown due to the latest developments in deep learning models. Zhang et al. [2] conducted a review of the change in deep learning models of financial time-series price forecasting with specific reference to progress in this area created in 2020-2022. Their survey forms a pertinent foundation on the development of the forecasting architectures and the ongoing evolution of the techniques of the financial price behavior modelling. Specifically, Long Short-Term Memory (LSTM) networks and Gated Recurrent Units (GRUs) have recurrent architectures that are implemented to model sequential dependencies during learning. Convolutional Neural Networks (CNNs) in turn are capable of finding local patterns and relationships within input sequences. A combination of these architectures could provide

complementary features of analyzing historical prices, trading volumes, technical indicators and variables related to volatility. Still, the effectiveness of models is determined by data properties, prediction times, and choice of inputs and criteria to evaluate competing techniques.

Comparative evaluation is thus a critical set of considerations when choosing appropriate deep learning architectures to forecast financial phenomena. Research conducted by Aryal et al. [3] on multi-step financial time-series prediction studies the results of deep learning models in comparison with each other. Multi-step forecasting is particularly essential in investment problems since often financial judgments need estimates longer than the following purchase period. The predictive errors may also build up with longer horizons and may diminish the utility of the forecasts to be used in allocating portfolio and in investment planning. A comparison of models in various forecasting horizons and situations may assist to explain their advantages and weaknesses. Moreover, to ensure reliable comparisons, consistency in preparing the data and, adequately choosing training/testing partitions and measures to evaluate the data that state the desired purpose of the forecasts are required. These are crucial in getting a scheme where predictive accuracy may be enhanced alongside risk evaluation orientation on the investment aspect.

In addition to the choice of architectural design, financial forecasting must consider how predictions can be effectively translated into practical use. Aldhyani and Alzahrani [4] proposed a model of stabilizing and predicting the prices of a stock market with deep learning algorithms and added to the study of systematic, algorithmic-enabled financial forecasting. Equally, Lu et al. [5] applied CNN-LSTM model to predict stock prices, which demonstrates the possibility to apply both convolutional and recurrent learning mechanisms. These works give a ground to further discussion of hybrid deep learning models that may localize in terms of time features and model temporal relationships. The potential financial implications of an investment decision cannot, however, be totally defined by just the forecast of future prices. Two investments which are supposed to have equal returns can have very different volatility, exposure to down side and maximum downside loss. Risk assessment measures should therefore be included to complement forecasting mechanisms in order to make more informed investment decisions.

To fulfill this need, this paper suggests a hybrid deep-learning architecture to learn financial time-series successively and to assess investment risk. The structure will look at the LSTM, GRU, and CNN-based models of applying them to past data of financial movements and predict the future trends of prices. Its risk assessment element includes volatility estimation, Value of risk (VaR) and maximum drawdown to discuss various facets of possible loss in the investment. Performance, generalization of models and risk estimation are discussed as similar but different evaluation goals. Another aspect incorporated in the framework is how the predictive output and risk indicators can be used to make risk-helpful portfolio decisions. This study seeks to establish a systematic framework of intelligent financial analysis that evaluates investment risks, using deep learning-based prediction and forecasting, in the face of unpredictable markets. The general aim is to assist in a more detailed evaluation of financial forecasting systems, to go beyond price forecasting to decision support that will look at the expected market behavior and the likely downside risk.

2. Related Work

Financial time-series forecasting research has increasingly abandoned traditional statistical methods, in favor of deep learning models that can learn nonlinear predictors and sophisticated temporal interdependencies. Current literature has been exploring deep neural networks in price prediction of stocks, stock price forecasting with multi variables, cryptocurrency, and price prediction in commodity. This section discusses fifteen related studies, in the mentioned order of citations, their contributions to the field of financial forecasting, and why they are important in the determination of investment risk.

In their article, Sezer et al. [1] carry out a systematic literature review of the current state of financial time-series forecasting using deep learning and cover studies that were published in 2005-2019. Their research also structured advances in neural network-based financial forecasting and set a platform to comprehend changing data-driven forecasting strategies. The review identifies the importance of learning temporal patterns through observations within the market over past years and reports context on the possibilities of investigating various neural network configurations. Zhang et al. [2] then conducted a review of deep learning models of financial time-series price forecasting with the current focus on 2020–2022 developments. Their research indicates further development of the forecasting technique and the necessity to explore more recently developed architectures, modelling techniques, and its applicability to dynamic financial data.

Aryal et al. [3] compared performances of deep learning models on multi-step financial time-series prediction. Their study is also applicable due to the fact that decisions made towards investments normally demand more than one observation on the forecast in future time intervals. The multi-step prediction poses further problems, where the error of prediction can spiral up as the prediction horizons increase. Aldhyani and Alzahrani [4] proposed a model to predict and model stock prices based on deep learning algorithms. Their contribution leads to the creation of the organized forecasting systems whereby the neural network models are implemented in predicting financial prices. Lu et al. [5] suggested a CNN-LSTM-based eventually forecasting model of stock prices that combines convolutional feature constructing with sequence learning (recurring). The hybrid model demonstrates the potential to combine various neural network models to jointly model complementary properties of financial time-series data.

Chen et al. [6] emerged with a stock price forecasting model that is driven by CNN-BiLSTM-ECA model which includes processing with convolutional, bidirectional

learning, and an effective channel attention system. Their structure constitutes a style of representing sequential patterns with accents on informative elements. Wang et al. [7] examined a stock closing price prediction model which relies on CNN-BiSLSTM and this study further shows how convolutional and bidirectional recurrent structures can be used as a hybrid in predicting the financial market. These investigations signify the significance of architecture design and representation of features in modelling intricate market behavior.

A convolutional neural network with stacked gated recurrent unit has been used by Kang et al. [8] to predict in cryptocurrency markets using deep learning. The cryptocurrency price series are unique forecasting scenarios due to their volatility and dynamic market environment. Deng et al. [9] studied multi-step-ahead stock price index prediction with an LSTM model with multivariate empirical mode decomposition. Their approach lays stress on how beneficial the disaggregation of financial observations into components and subsequent repeated learning can be. These techniques can be used in the cases where financial patterns contain a large number of temporal structures that cannot be easily modeled using a single forecasting model.

With the assistance of a deep convolutional generative adversarial network, Staffini [10] investigated the stock price forecasting. Generative methodologies present an alternative way of solving traditional point-prediction problems, and also, training of representations and patterns of data, by means of adversarial training. To predict the price of precious metals in a multi-step mode, Lin et al. proposed a hybrid model [11] combining an ensemble empirical mode decomposition to an LSTM neural network. Their addition expands the amount of deep learning on the equities and demonstrates the possibility to generalize the hybrid decomposition and learning through recurrent learning to the financial series in relation to commodities.

Cavalcante et al. [12] presented a survey of the computational intelligence applications in the financial markets and gave insight on the potential future directions of research. The meaning of interrelation between smart prediction techniques and financial decision making can be given by their broader context. Tang et al. [13] in their review work supported the existing knowledge on machine learning models and financial time-series forecasting, adding to the existing knowledge on various approaches of modelling and modelling applications. The amalgamation of these survey studies justifies the need to test forecasting techniques between their data requirements, prediction objectives, and its suitability to specific financial operations.

Wang and Wang [14] analyzed the forecasting of energy futures and spot-price using a hybrid tool of SW-GRU, empirical mode decomposition and misinformation evaluation. In their analysis they show that hybrid recurrent model may be applied in energy markets where using price behavior may be a problem with market specific supply and demand conditions. The use of time-series to predict the prices of gold is the application designed by Livieris et al. [15], who also depicted the combination of the convolutional and recurrent networks in prediction of precious metals markets.

Overall, the literature review demonstrates that the efforts to create deep-learning-based financial forecasting in the realms of recurrent and convolutional architecture, their combination, and signal decomposition tools have reached a much higher stage. The right price forecast is, but is not a fully developed foundation to base investment decisions. The forecasting and volatility estimation that the current paper proposes should directly connect to the deep learning-based forecasting and volatility estimation, Value at risk, and maximum drawdown analysis. This integration is supposed to help facilitate a broader consideration of predictive behavior and factual loss of an investment together, into a single financial decision-support strategy.

3. Risk-Aware Deep Learning Architecture for Financial Forecasting and Investment Intelligence

The suggested model comprises an assembly of monetary data pre-handling, the extraction of multivariate temporal features, a deep learning-based prediction, the evaluation of investment hazard, and risk-perceptive choice support beneath a single framework. As opposed to the traditional frameworks of forecasting that only focus on the prediction of future stock prices, the suggested framework takes into account predictive safety as well as the existing downside risk of investment decisions. It is an architecture integrating Long Short-Term Memory (LSTM), Gated Recurrent Unit (GRU), and Convolutional Neural Network (CNN) to process the past market data and produce predictions. The derived predictions are evaluated alongside volatility, Value at risk (VaR) and maximum drawdown in order to give a bigger perspective of market behavior and market uncertainty on investment.

3.1. Financial Data Acquisition and Temporal Alignment

The initial layer gathers past monetary time-series information of pertinent market sources. The inputs are: opening price, closing price, daily high, daily low, trading volume and adjusted closing price (where available). Another category of contextual variables includes market indices, sector indicators, and macroeconomic observations, which might be included when such information is applicable to the forecasting task. The structure can accommodate various financial products, such as individual securities, exchange-traded fund, and chosen commodities. Figure 1 illustrates the proposed integrated framework, showing how financial data are transformed into predictive outputs and risk-aware investment insights.




Figure 1. Integrated Framework for Financial Forecasting and Investment Risk Assessment

The observations are arranged in time and adjusted to a time-based frequency of observation. During preprocessing, duplicate records, missing observations, time discrepancies and differences as a result of corporate activities are detected. Adapted prices are desired where the dividends payout or stock division may violate previous comparisons. The input data could then be separated into training, validation and testing in chronological order. This process assists in avoiding any information leakage of future observation in model conditioning and a more realistic measure of forecasting performance.

3.2. Multivariate Feature Engineering and Market Representation

The second layer converts raw financial observations into informative features to work with deep learning models. Historical returns, rolling volatility, moving averages, momentum indicators, and characteristics of trading-volume are additional price-based features. Return-based representations are useful in the analysis of relative price variation and offer inputs to the estimation of volatility and measurement of investment risks.

The local changes in the market behavior are represented by rolling statistical features; the directional patterns are also represented by momentum indicators. Scaling of features is carried out based on the parameters calculated only based on training data and like transformations are then applied to the validation and testing data. The chronological series is processed by a sliding-window mechanism that transforms the chronological series into a sequence of successive observations. Each sequence has historical financial characteristics during a predetermined look-back period and is an input to the forecasting models. Depending on the intended use of the prediction, the prediction target can be the next-period return, closing price, or multiple future observations.

3.3. Parallel Deep Learning Forecasting Engine

Level 3 is composed of three deep learning architectures that are complementary. The individual models can take the prepared input sequences and produce forecasts for the chosen prediction horizon.

The LSTM branch represents the temporal dependencies with gated memory cells. The architecture is the most appropriate to govern the learning trends of past financial observations, as its input and output gate control information retention and transmission. This branch specializes in the sequential relationship which could affect the following prices or returns.

The GRU branch is another recurrent architecture that uses update and reset gates. GRU has a simple gating structure and can be used to decrease architectural complexity by comparison to LSTM, though it still is capable of learning temporal dependencies. That point allows the framework to compare alternative recurrent strategies in case of consistent data circumstances.

The CNN branch uses one-dimensional convolutional filters on trainings of financial characteristics. These filters recognize local trends, instantaneous variations and linking between neighboring observations. Multiple filters may be able to extract various temporal features prior to handing the extracted representations to a prediction layer. Figure 2 depicts the parallel forecasting architecture, highlighting the complementary roles of recurrent learning, convolutional feature extraction, and optional prediction fusion.




Figure 2. Parallel Deep Learning Architectures for Financial Time-Series Forecasting

The training of all three branches is with uniform chronological data partitions and congruent forecasting targets. Their performances are initially judged in isolation, so that their strengths and weaknesses could be known. An optional prediction-fusion module takes the results of the individual models and combines the outputs with weights based on validation performance. This method will allow the framework to explore the possibility of different architectures to enhance consistency in forecasting without the expectation that a group will necessarily be more successful than a single model.

3.4. Forecast Validation and Predictive Reliability

The fourth layer measures the performance of the forecasting through suitable measures of errors. Mean Absolute Error (MAE) measures the mean size of error that has occurred during predictions whereas Root Mean Squared Error (RMSE) emphasizes more on bigger errors. When it is considered suitable towards the target of forecast being considered, the coefficient of determination, often denoted by R-squared may also be considered. Figure 3 outlines the temporal data preparation and validation pipeline, emphasizing chronological partitioning and leakage prevention for reliable forecasting assessment.




Figure 3. Temporal Data Preparation and Forecast Validation Pipeline

The evaluation of price forecast and the evaluation of return forecasts is not the same as the error magnitude is different along with the extent of the interpretation. Performance is considered in various forecasting horizons, as well as, market conditions to ascertain the homogeneity of the predictive behavior of the models. In cases where repeated training runs could be used, it is possible to report standard deviations and confidence ranges to evaluate variation in model behavior. These processes ensure that forecasting behavior that is consistent is differentiated by improvements that might be conditional upon a specific training run or evaluation period.

Comparisons with appropriate baseline forecasting methods are also taken into account in the framework. These comparisons are useful in generating information concerning the meaningful improvements of deep learning architectures over simple ones. The testing observations are independent of model selection and hyperparameter tuning to ensure the final evaluation is independent.

3.5. Investment Risk Quantification Module

The fifth layer is a method of estimating possible losses in an investment, based on complementary risk indicators. Historical volatility provides measures of variability of financial returns over a given rolling period. Greater volatility means that there is more variation in the observed returns, but does not separately determine the chances or severity of extreme losses.

Value at Risk is used to estimate the minimum amount of loss, at a certain level of confidence, and over a defined period of time. Consider, e.g., one-day VaR at the 95-percentile would determine the level of loss that the past or modelled studies of return physiology would indicate one should not breach on about 95 percent of days under normal assumptions. The convention of the estimation method, level of confidence and valuation of the portfolio ought to be expressed well. Figure 4 presents the multidimensional risk assessment model, combining return variability, estimated loss thresholds, and peak-to-trough declines to characterize investment exposure.




Figure 4. Multidimensional Investment Risk Assessment Model

Maximum drawdown is the biggest fall of a prior portfolio peak to another trough within an evaluation period. This indicator is especially important to investors who are interested in maintaining their capital since it characterizes the sharpness of a historical fall but not that returns fluctuate.

Volatility, VaR and maximum drawdown are some of the various aspects of investment risk. Volatility quantifies variability of returns, VaR is an estimation of a loss risk at a chosen level of confidence, and maximum drawdown is how large the peak-to-trough decline is recorded. The interpretations of these indicators are not a guarantee of investment performance in the future but are estimates based on past observation and assumptions made in future projections.

3.6. Risk-Aware Investment Decision Support

The last layer is an integration of forecasting investment as well as risks to serve the purpose of investment analysis. The returns forecasts give us data concerning the anticipated future market movement and volatility, VaR and maximum drawdown describe the uncertainty and the possible future adverse exposure. These indicators allow investors to compare alternative assets, analyzing the portfolio concentration, as well as to see when a more conservative allocation decision might be necessary.

The framework does not necessarily expect a positive forecast to be considered a buy signal and a negative forecast to be a sell signal. Rather, projections are evaluated together with objectives of making investments, risk tolerance, and transaction costs, and constraints of the portfolio. Indicatively, a given asset whose anticipated rise is appealing but has high expected VaR could be given lesser weight compared to an identical asset with similar expectations of growth and reduced downside risk. Any allocation strategy must be specified clearly and evaluated based on out of sample data, with transaction costs and pertinent portfolio constraints.

On the whole, the developed architecture will provide a modular route between the acquisition of financial data and the deep learning-based forecast and the risk-conscious investment analysis. Its main contribution is the ability to unify several forecasting architecture with complementary risk indicators using a common analysis platform. The structure offers a basis to systematic comparison of model, explicit interpretation of risk and financial decision support. It is necessary to determine its practical efficiency using proper datasets, the baseline comparisons, chronological validation, and independent out of sample assessment.

4. Empirical Appraisal of Forecasting Reliability and Investment Risk

4.1. Forecasting Capability and Model Suitability

The given framework is empirically evaluated with the help of the analytical potential of the LSTM, GRU, and CNN architectures in the field of financial time-series prediction. Different properties of market data are covered by each of the architectures. The long-term temporal dependencies LSTM is adapted to, GRU offers a relatively small recurrent network, and CNN reveals local patterns and short-term changes. Their applicability varies with the attributes of financial instrument, predictive length and the quality of the predictor variables. Explicit empirical evaluation then needs to look at how predictions made are consistent around various market periods and not based on the idea that the architecture is always better. The framework also facilitates the assessment of hybrid predictions to find out whether the complementary model output may be enhanced with another stable perspective of forecasting.

4.2. Data Quality and Temporal Consistency

The accuracy of future financial estimates is heavily reliant on the data on which they are based and its predictability through time. The utilization of historic prices, volumes, adjusted closing prices, and computed technical indicators demand uniform timestamps and correct preprocessing. There can be missing observations, unmatched records, corporate activities and irregular trading calendar that can affect the analysis of the model outputs. The structure deals with these issues by aligning the chronological data, standardization of features and training, validation and testing distinctly. Empirically, the processes enhance the validity of forecasting tests since they minimize information leaks, and model building is motivated by the temporal factor of the financial markets.

4.3. Risk Estimation and Downside Exposure

Investment risk can be assessed using the framework in terms of volatility, Value at Risk (VaR) and maximum drawdown. These indicators give alternative views on financial uncertainty. Volatility is used to define return variability, VaR approximates the potential loss level at a given confidence level, and maximum drawdown refers to the maximum decline in a portfolio between a high point and a low point in the portfolio at a given period of time. Their joint interpretation provides a more comprehensive evaluation than price forecasting. An illustration here is a prophecy which shows favorable movement of prices, but with a large downside. Empirical appraisal then should refer to the question of whether forecasting outputs are informative when used together with the risk indicators and whether the subsequent tests are also in line with the horizon of investment and level of risk taken.

4.4. Comparative Assessment and Robustness

An empirical appraisal that is significant must be compared to common baseline methods e.g. historical average forecasts, autoregressive models or other proven forecasting systems. Prediction errors may be evaluated by use of MAE and RMSE, and in certain cases, supplementary data on patterns of prediction errors might be obtained using R-squared. The risk estimates are to be evaluated on the assessment of calibration and consistency among various market circumstances. The uncertainty in the findings could be characterized by repeated model running, confidence interval, and sensitivity analysis. Moreover, one should take into account transaction cost and portfolio constraint in investigating the usefulness of forecast-oriented investment choices. Such comparisons supply a systematic ground of

defining in what circumstances the suggested framework can turn out to be helpful.

4.5. Practical Implications and Limitations

The suggested framework provides a combined analytical framework of relating financial forecasting and assessment of investment risk. Its modularity allows model comparison, interpretation of risk (without underpinning every investment decision with a single prediction). The predictive value of the framework, however, cannot be determined based purely on it architecture. It necessitates documented fiscal data, replicably applied evaluation processes and autonomously tested findings. In that regard, this section outlines an empirical assessment strategy and sets no claims of documented gains of improvements or empirically tested superiority because there are no empirical findings reported.

5. From Predictive Intelligence to Risk-Aware Investment Decision-Making

The forecast of finances as implied in the proposed deep learning model is vital when it is integrated with the estimation of the risk of investments as well. Although the applicability of LSTM, GRU, and CNN architecture is complementary because of their varying capabilities regarding the modelling of financial time series, they have a different degree of practicality based on the nature of the market, quality of data and the forecast horizon. LSTM networks can learn time dynamics, GRU models provide an alternative recurrent model which is somewhat compact, and CNN structure can identify local patterns on previous data. Their relative evaluations can assist in understanding individual or combined models are more suitable to particular financial forecasting activities.

An important implication of the framework is that the usefulness of investments ca not just be evaluated based on forecasting accuracy. The model is not only able to predict price changes quite well, but also to explain the possibility of significant financial losses of a certain magnitude. The combination of volatility, Value at Risk (VaR), and maximum drawdown, offers a more comprehensive point of view on uncertainty and exposure to adverse events. This integration helps in a more balanced interpretation of forecasts, especially the cases where investors need to take into consideration both capital protection and marketed returns. However, each of these indicators differ in measuring risk but must not be utilized as an alternative measure.

The framework involves a more time validation and comparison to the analysis. The financial markets are affected by the shifting economic conditions, investor behaviour and some unpredicted occurrences which might limit the predictability of the estimates obtained through past events. Time based data partitioning, appropriate baseline comparison and an out-of-sample testing is therefore crucial in exploring whether or not performance forecasting is reliable in different timeframes in the market. Transaction costs, portfolio constraints and individual risk preferences will also be considered before translating predictions to decision making of the investment.

There are limitations to the framework as well as its potential. Deep learning models require sufficient and credible historical data, and may be vulnerable to overfitting, structural market changes, and lack good interpretability. Besides, VaR estimates reflects on the methodology and premise of the distribution of returns and the historical maximum drawdown does not impose that there should be maximum limit to the future losses. Future studies will need to investigate a comprehensible prediction of the future, adaptive design of models, and the risk control of the portfolio. Overall, time frame provided has been provided as a systematic footing in establishing predictive intelligence with risk severe investigation and its practical advantages await continual validation through tests.

6. Conclusion

The current research paper was a combined deep learning model of financial time-series prediction and estimation of investment risk, which consists of Long Short-Term Memory (LSTM), Gated Recurrent Unit (GRU), and Convolutional Neural Network (CNN) architectures. The structure proposed integrates a financial data acquisition, temporal preprocessing, and multivariate feature engineering, predictive modelling, forecast validation, and investment risk quantification into a single analytical framework. Using the complementary nature of recurrent and convolutional networks to analyze temporal dependencies, nonlinear market behavior and local patterns in historical financial observations, the framework offers a platform to study these phenomena.

One of the advantages of the proposed approach is that it features the complement of forecasting results with other supplementary measures of investment risk, such as volatility, Value at Risk (VaR), and maximum drawdown. Although, future price movements or returns are estimated using the help of forecasting models, these indicators give another view on uncertainty of the market and possible downside. Their joint interpretation can assist in making a more informed analysis of investment, allocation of a portfolio and make decisions depending on risk. The framework also focuses on chronological data break down, relevant baseline comparisons and independent out-of-sample evaluation in order to enhance the dependability of financial model evaluation.

Even though it has great potential deep learning based forecasting is limited by the quality of data, the model set-up, forecasting periods and the evolving market conditions. Overfitting, orthogonal changes in the structure of the market, computational needs, and insufficient interpretability are also noteworthy. Moreover, historical risk assessment is not sure to safeguard extreme losses in the future. As the current research paper formulates a combined analytical framework, instead of reporting upon the completed quantitative research, predictive superiority and practicality of investment gain in the present research should be further proven by the research.

Future directions of research work should include adaptive model selection and explainable artificial intelligence, attention-based architectures and transformer-based forecasting. Further research ought to be done in

portfolio-level optimization, transaction costs, risk preferences and stress-testing with extreme market conditions. VaR loss thresholds should also be assessed through the introduction of calibration and back-testing of VaR estimates to determine how trustworthy estimated loss thresholds are. Altogether, it can be said that the suggested framework provides a solid platform to relate deep learning-based financial forecasting with an in-depth investment-risk assessment and help to create transparent and risk-conscious financial decision-support systems in the face of challenging market conditions.

References

[1] [Sezer, O. B., Gudelek, M. U., & Ozbayoglu, A. M. (2020). Financial time series forecasting with deep learning: A systematic literature review: 2005–2019. Applied Soft Computing, 90, Article 106181. https://doi.org/10.1016/j.asoc.2020.106181

[2] Zhang, C., Sjarif, N. N. A., & Ibrahim, R. (2023). Deep learning models for price forecasting of financial time series: A review of recent advancements: 2020–2022. WIREs Data Mining and Knowledge Discovery. https://doi.org/10.1002/widm.1519

[3] Aryal, S., Nadarajah, D., Rupasinghe, P. L., Jayawardena, C., & Kasthurirathna, D. (2020). Comparative analysis of deep learning models for multi-step prediction of financial time series. Journal of Computer Science, 16(10), 1401–1416. https://doi.org/10.3844/jcssp.2020.1401.1416

[4] Aldhyani, T. H. H., & Alzahrani, A. (2022). Framework for predicting and modeling stock market prices based on deep learning algorithms. Electronics, 11(19), Article 3149. https://doi.org/10.3390/electronics11193149

[5] Lu, W. J., Li, J. Z., Li, Y. F., Sun, A. J., & Wang, J. Y. (2020). A CNN-LSTM-based model to forecast stock prices. Complexity, 2020, Article 6622927. https://doi.org/10.1155/2020/6622927

[6] Chen, Y., Fang, R., Liang, T., Sha, Z., Li, S., Yi, Y., & Song, H. (2021). Stock price forecast based on CNN-BiLSTM-ECA model. Scientific Programming, 2021, Article 2446543. https://doi.org/10.1155/2021/2446543

[7] Wang, H., Wang, J., Cao, L., Li, Y., Sun, Q., & Wang, J. (2021). A stock closing price prediction model based on CNN-BiSLSTM. Complexity, 2021, Article 5360828. https://doi.org/10.1155/2021/5360828

[8] Kang, C. Y., Lee, C. P., & Lim, K. M. (2022). Cryptocurrency price prediction with convolutional neural network and stacked gated recurrent unit. Data, 7(11), Article 149. https://doi.org/10.3390/data7110149

[9] Deng, C., Huang, Y., Hasan, N., & Bao, Y. (2022). Multi-step-ahead stock price index forecasting using long short-term memory model with multivariate empirical mode decomposition. Information Sciences, 607, 297–321. https://doi.org/10.1016/j.ins.2022.05.088

[10] [Staffini, A. (2022). Stock price forecasting by a deep convolutional generative adversarial network. Frontiers in Artificial Intelligence, 5, Article 837596. https://doi.org/10.3389/frai.2022.837596

[11] Lin, Y., Liao, Q. D., Lin, Z. X., Tan, B., & Yu, Y. Y. (2022). A novel hybrid model integrating modified ensemble empirical mode decomposition and LSTM neural network for multi-step precious metal prices prediction. Resources Policy, 78, Article 102884. https://doi.org/10.1016/j.resourpol.2022.102884

[12] Cavalcante, R. C., Brasileiro, R. C., Souza, V. L. F., Nobrega, J. P., & Oliveira, A. L. I. (2016). Computational intelligence and financial markets: A survey and future directions. Expert Systems with Applications, 55, 194–211. https://doi.org/10.1016/j.eswa.2016.02.006

[13] Tang, Y., Song, Z., Zhu, Y., Yuan, H., Hou, M., Ji, J., & Li, J. (2022). A survey on machine learning models for financial time series forecasting. Neurocomputing, 512, 363–380.

[14] Wang, B., & Wang, J. (2020). Energy futures and spots prices forecasting by hybrid SW-GRU with EMD and error evaluation. Energy Economics, 90, Article 104827. https://doi.org/10.1016/j.eneco.2020.104827

[15] Livieris, I. E., Pintelas, E., & Pintelas, P. (2020). A CNN–LSTM model for gold price time-series forecasting. Neural Computing and Applications, 32(23), 17351–17360. https://doi.org/10.1007/s00521-020-04867-x